IN THE CLAIMS

Please amend the claims of the present application under the provisions of 37 C.F.R. §1.121(c), as indicated below:

1 (previously presented): A nitrite free grease composition for avoiding an abnormal peeling of a rolling surface of a bearing comprising:

- a base oil,
- a thickener, and
- an additive,

wherein the base oil contains 20% by weight or more of alkyldiphenyl ether oil in the base oil, and has a kinetic viscosity of 20 to 150 mm 2 /s at 40 $^{\circ}$ C, and wherein the thickener is an aromatic diurea compound represented by the following formula (2)

0

 R_2 NHCNH R_3 NHCNH R_4 (2)

Where R_2 and R_4 are the same or different, and represent each an aromatic hydrocarbon group having 6 to 15 carbon atoms, and R_3 represents an aromatic hydrocarbon group having 6 to 15 carbon atoms, and is contained in an amount of 5 to 30% by weight based on the total amount of the base oil and the thickener, and wherein the additive contains as an essential component 0.05 to 10 parts by weight of a metal salt of a dibasic acid based on 100 parts by weight of the base oil and the thickener, the metal salt of the dibasic acid being represented by the following formula:

0 0

 M_1 O C R_1 C O M_2 (1)

where M_1 and M_2 represent the same or different alkali metal, and R_1 represents aliphatic hydrocarbon group or an aromatic hydrocarbon group said grease containing no nitrite.

2 (canceled)

3 (previously presented): The grease composition as claimed in claim 1, wherein the base oil contains synthesized hydrocarbon oil.

4-6 (canceled)

- 7 (currently amended): The grease composition as claimed in claim 1, wherein each of the R_2 and R_4 is $C_6H_4(CH_3)$, and the R_3 is $\frac{C_6H_4CH_2C_4H_4}{C_6H_4CH_2C_6H_4}$.
- 8 (previously presented currently amended): The grease composition as claimed in claim 1, wherein the M_1 and M_2 are each lithium, sodium, or potassium.
- 9 (previously presented): The grease composition as claimed in claim 1, wherein the metal salt of the dibasic acid is one of a metal salt of azelaic acid, sebacic acid and adipic acid.
- 10 (previously presented): The grease composition as claimed in claim 9, wherein the metal salt of the dibasic acid is sodium sebacate.
- 11 (previously presented): The grease composition as claimed in claim 1, wherein the additive comprises 0.05 to 5 parts by weight of an antioxidant in addition to the metal salt of the dibasic acid based on 100 parts by weight of the base oil and the thickener.
- 12 (previously presented): The grease composition as claimed in claim 11, wherein the antioxidant is selected from the group consisting of a sulfur-containing antioxidant, a phenol-based antioxidant and an amine-based antioxidant.

13 (original) A grease composition sealed bearing, in which a sliding part of the bearing is sealed with the grease as claimed in claim 1.